



Réf : Wine Bar 2.0

GENERAL FEATURES

Storage / serving capacity* : 2 bottles at temperature

Dimensions unpacked : 491 x 315 x 268 mm (HxWxD)

Dimensions packaged : 590 x 415 x 335 mm (HxWxD)

Net Weight : 13,8 kg

Gross weight packaged : 17.1 kg

TECHNICAL FEATURES

Control

- 2 independent compartments temperature : 8 ° C for white wines and 16 ° C for red wines. (46.4-60.8°F)
- The two compartments can receive red wines or white wines.
- Preserving bottles up to 10 days through a system of drawing exclusive vacuum (depending on the wine and its vintage)

Cold technology and insulation

- | | |
|-------------------------------|--|
| Production of cold air : | <ul style="list-style-type: none"> ▪ ventilated cold air ▪ Thermoelectric module |
| Leads (external alimentation) | <ul style="list-style-type: none"> ▪ CE/US/UK/JA/C6/CH/CN/AU |
| Type of walls: | <ul style="list-style-type: none"> ▪ ABS |
| Type of external covering: | <ul style="list-style-type: none"> ▪ Black metal/glass/aluminum frame |
| Type of insulation: | <ul style="list-style-type: none"> ▪ expanded polystyrene |
| Type of glass: | <ul style="list-style-type: none"> ▪ Double glazing |

FITTINGS AND ACCESSORIES

- Full glass door with safety lock
- Interior lighting with adjustable multicolour LED (approx 50 nuances) – with remove control
- Frequency detector when lighting is on
- Thermal insulation
- Individual wine preservation
- Air extraction fault warning indicators
- Excess condensation water collected in a drawer
- Warranty : 2 years
- Made in China

ENERGY CONSUMPTION AND PERFORMANCE

- | | |
|--|-------------------------|
| Consommation par 24h** (KWh) | : <1 |
| Ambient temperature operating limit | : 18 à 30°C (64.4-86°F) |
| Electrical Power (at 25°C) | : 81 W |

BUILT : PRECAUTION



Be sure to follow the instructions for embedding to ensure proper operation of the unit : let 10 mm minimum around the Wine Bar and 40 mm at the rear to allow a natural air circulation . Also leave two openings (100x200mm) on each side of the product, in front of the air vents .